


●もっとも広い用途で使用する汎用ドリルです。

This drill having long flute is general drills for deep holes.



LIST 650

オーダー方法 LTD 直径 × 全長

(□商品: LTD 直径 × 全長 × 溝長)

(*印商品: LTD 直径 × 全長 × 溝長 × MT シャンク)

直径4.0~6.9
在庫品限り

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
4.0	200	120			-	7.5	375	250			-
4.0	250	150			-	7.5	400				-
4.0	300	200			-	7.5	400	275			-
4.1	200				-	7.6	250				-
4.2	200				-	7.7	250	150		□	-
4.3	200				-	7.8	250				-
4.4	200	120			-	7.9	250				-
4.5	200				-	8.0	200	100			-
4.6	200				-	8.0	225	125			-
4.7	200				-	8.0	250	150		●	11,000
4.8	200				-	8.0	275	175		□	-
4.9	200				-	8.0	300			●	14,000
5.0	250	150			-	8.0	325	200		□	-
5.0	300	200			-	8.0	350	225		●	19,000
5.0	350	225			-	8.0	375				-
5.1	250				-	8.0	400	250			-
5.2	250				-	8.0	400				-
5.3	250	150		□	-	8.0	400	275			-
5.4	250				-	8.0	450	300			-
5.5	250				-	8.0	500	325			-
5.6	250				-	8.0	500				-
5.7	250				-	8.0	500	350			-
5.8	250				-	8.0	600				-
5.9	250				-	8.0	600	400			-
6.0	250				-	8.0	700				-
6.0	300	200			-	8.0	700	450			-
6.1	250				-	8.0	800	500		□	-
6.2	250				-	8.1	250	150			-
6.3	250	150			-	8.1	300	200			-
6.4	250				-	8.2	250	150			-
6.5	250		1		-	8.2	300	200			-
6.5	300	200			-	8.2	350	250			-
6.5	350	225			-	8.3	250	150			-
6.6	250	150			-	8.3	300	200			-
6.7	250				-	8.4	250	150			-
6.7	300	200			-	8.4	300	200			-
6.8	250	150			-	8.5	200	100			-
6.8	300	200			-	8.5	225	125			-
6.9	250	150			-	8.5	250	150		●	10,800
7.0	200	100			-	8.5	275	175		□	-
7.0	225	125			-	8.5	300			●	13,800
7.0	250	150			-	8.5	325	200		□	-
7.0	275	175		●	11,400	8.5	350	225		●	18,400
7.0	300			□	-	8.5	375				-
7.0	325	200		●	14,600	8.5	400	250			-
7.0	350	225		□	-	8.5	400	275			-
7.0	375				-	8.5	500	325			-
7.0	400	250			-	8.5	600	350			-
7.0	400	275		●	19,600	8.6	250	150			-
7.1	250				-	8.6	300	200			-
7.2	250	150		□	-	8.7	250	150			-
7.3	250				-	8.7	300	200		□	-
7.4	250				-	8.7	350	250			-
7.5	200	100			-	8.8	250	150			-
7.5	225	125			-	8.8	300	200			-
7.5	250	150			-	8.8	300	200			-
7.5	275	175		●	11,200	8.9	250	150			-
7.5	300			□	-	8.9	300	200			-
7.5	325	200		●	14,300	9.0	200	100			-
7.5	350	225		□	-	9.0	225	125			-
				●	19,300	9.0	250	150		●	10,600
					-	9.0	275	175		□	-
					-	9.0	300	200		●	13,700

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
9.0	325	200		□	-
9.0	350	225		●	18,200
9.0	375	250			-
9.0	400				-
9.0	400	275			-
9.0	450	300			-
9.0	500	325			-
9.0	500	350			-
9.0	600				-
9.0	600	400			-
9.0	700	450			-
9.0	800	500			-
9.1	250	150		□	-
9.1	300	200			-
9.2	250	150			-
9.2	300	200			-
9.3	250	150			-
9.3	300	200			-
9.4	250	150			-
9.4	300	200			-
9.5	200	100			-
9.5	225	125			-
9.5	250	150		●	10,600
9.5	275	175		□	-
9.5	300	200		●	13,700
9.5	325			□	-
9.5	350	225		●	18,100
9.5	375	250			-
9.5	400				-
9.5	400	275			-
9.5	450	300			-
9.5	500	325			-
9.5	600	350			-
9.6	250	150			-
9.6	300	200		□	-
9.7	250	150			-
9.7	300	200			-
9.8	250	150			-
9.8	300	200			-
9.9	250	150			-
9.9	300	200			-
10.0	200	100			-
10.0	225	125			-
10.0	250	150		●	10,600
10.0	275	175		□	-
10.0	300	200		●	13,700
10.0	325			□	-
10.0	350	225		●	18,100
10.0	375	250			-
10.0	400				-
10.0	400	275			-
10.0	450	300			-
10.0	500	325			-
10.0	500	350			-
10.0	600			□	-
10.0	600	400			-
10.0	700				-
10.0	700	450			-
10.0	800	500			-
10.0	1000	600			-

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
10.1	250	150			-
10.1	300	200			-
10.2	250	150			-
10.2	300	200			-
10.3	250	150			-
10.3	300	200		□	-
10.3	350	250			-
10.3	400	275			-
10.4	250	150			-
10.4	300	200			-
10.5	200	100			-
10.5	225	125			-
10.5	250	150		●	10,300
10.5	275	175		□	-
10.5	300	200		●	13,200
10.5	325			□	-
10.5	350	225		●	17,500
10.5	375	250			-
10.5	400				-
10.5	400	275			-
10.5	450	300			-
10.5	500	325			-
10.5	500	350			-
10.5	600				-
10.6	250	150			-
10.6	300	200		□	-
10.7	250	150			-
10.7	300	200			-
10.8	250	150			-
10.8	300	200			-
10.9	250	150			-
10.9	300	200			-
11.0	200	100			-
11.0	225	125			-
11.0	250	150		●	10,300
11.0	275	175		□	-
11.0	300	200		●	13,200
11.0	325			□	-
11.0	350	225		●	17,500
11.0	375	250			-
11.0	400				-
11.0	400	275			-
11.0	450	300			-
11.0	500	325			-
11.0	500	350			-
11.0	600				-
11.0	600	400			-
11.0	700	450			-
11.0	800	500			-
11.0	1000	600		□	-
11.1	250	150			-
11.1	300	200			-
11.2	250	150			-
11.2	300	200			-
11.3	250	150			-
11.3	300	200			-
11.4	250	150			-
11.4	300	200			-
11.5	225	125			-
11.5	250	150		●	10,600

← 前頁 Previous Page

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
11.5	275	175		□	-
11.5	300			●	13,400
11.5	325	200		□	-
11.5	350	225		●	17,800
11.5	375				-
11.5	400	250			-
11.5	400	275			-
11.5	450	300			-
11.5	500	325			-
11.5	500	350			-
11.5	600				-
11.6	250	150			-
11.6	300	200		□	-
11.7	250	150			-
11.7	300	200			-
11.8	250	150			-
11.8	300	200			-
11.9	250	150			-
11.9	300	200			-
12.0	225	125			-
12.0	250	150		●	10,700
12.0	275	175		□	-
12.0	300			●	13,700
12.0	325	200		□	-
12.0	350	225		●	18,000
12.0	375				-
12.0	400	250			-
12.0	400	275			-
12.0	450	300			-
12.0	500	325			-
12.0	500	350			-
12.0	600	400			-
12.0	700	450			-
12.0	800	500			-
12.0	1000	600			-
12.1	250	150	1		-
12.1	300	200		□	-
12.1	350	250			-
12.2	250	150			-
12.2	300	200			-
12.2	350	250			-
12.2	500	350			-
12.3	250	150			-
12.3	300	200			-
12.3	350	250			-
12.4	250	150			-
12.4	300	200			-
12.4	350	250			-
12.5	225	125			-
12.5	250	150		●	10,800
12.5	275	175		□	-
12.5	300			●	13,900
12.5	325	200		□	-
12.5	350	225		●	18,100
12.5	350				-
12.5	375	250			-
12.5	400				-
12.5	400	275			-
12.5	450	300			-
12.5	500	325			-
12.5	500	350			-
12.5	600			□	-
12.5	600	400			-
12.6	250	150			-
12.6	300	200			-
12.6	350	250			-
12.7	250	150			-
12.7	300	200			-
12.7	350	250			-

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
12.7	400	275			-
12.7	500	325			-
12.8	250	150			-
12.8	300	200			-
12.8	350	250			-
12.8	400	275		□	-
12.8	500	325			-
12.9	250	150			-
12.9	300	200			-
12.9	350	250			-
13.0	225	125			-
13.0	250	150		●	11,200
13.0	275	175		□	-
13.0	300			●	14,000
13.0	325	200		□	-
13.0	350	225		●	18,400
13.0	375				-
13.0	400	250			-
13.0	400	275			-
13.0	450	300			-
13.0	500	325			-
13.0	500				-
13.0	600	350			-
13.0	600	400			-
13.0	700				-
13.0	700	450			-
13.0	800	500			-
13.0	1000	600			-
13.1	300	200			-
13.1	350	225			-
13.1	350	250			-
13.1	400	275			-
13.1	500	325		□	-
13.2	300	200			-
13.2	350	225			-
13.2	350	250			-
13.2	400	275			-
13.2	500	325			-
13.3	300	200			-
13.3	350	225			-
13.3	350	250			-
13.3	400	275			-
13.4	300	200			-
13.4	350	225			-
13.4	350	250			-
13.4	400	275			-
13.5	225	125			-
13.5	250	150		●	11,200
13.5	275	175		□	-
13.5	300			●	14,200
13.5	325	200		□	-
13.5	350	225		●	18,500
13.5	375				-
13.5	400	250			-
13.5	400	275			-
13.5	450	300			-
13.5	500	325			-
13.5	500				-
13.5	600	350			-
13.5	600	400			-
13.5	800	500		□	-
13.6	300	200			-
13.6	350	225			-
13.6	350	250			-
13.6	400	275			-
13.7	300	200			-
13.7	350	225			-
13.7	350	250			-
13.7	400	275			-
13.7	500	325			-

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
13.8	300	200	1	□	-	
13.8	350	225			-	
13.8	350	250			-	
13.8	400	275			-	
13.8	500	325			-	
13.9	300	200			-	
13.9	350	225			-	
13.9	350	250			-	
13.9	400	275			-	
14.0	225	125			-	
14.0	250	150			-	
14.0	275	175			●	11,200
14.0	300	200			□	-
14.0	325	225			●	14,600
14.0	350	225	□	-		
14.0	375	250	●	18,900		
14.0	400	275	-	-		
14.0	400	275	-	-		
14.0	450	300	-	-		
14.0	500	325	-	-		
14.0	500	350	-	-		
14.0	600	400	-	-		
14.0	600	400	-	-		
* 14.0	700	450	2	□	-	
* 14.0	700	500			-	
* 14.0	800	600			-	
* 14.0	1000	800			-	
* 14.0	1200	800	-	-		
* 14.1	300	200	1	-	-	
14.1	300	200	2	□	-	
14.1	350	225			-	
14.1	350	250			-	
14.1	400	275			-	
14.1	500	350			-	
14.1	500	375			-	
14.1	600	425	-	-		
* 14.2	300	200	1	-	-	
14.2	300	200	2	□	-	
14.2	350	225			-	
14.2	350	250			-	
14.2	400	275			-	
14.2	500	350			-	
14.2	500	375			-	
14.2	600	425			-	-
* 14.3	300	200	1	-	-	
14.3	300	200	2	□	-	
14.3	350	225			-	
14.3	350	250			-	
14.3	400	275			-	
14.3	400	275			-	
14.3	500	350			-	
14.3	500	375			-	
14.3	600	425			-	-
* 14.4	300	200	1	-	-	
14.4	300	200	2	□	-	
14.4	350	225			-	
14.4	400	250			-	
14.4	400	275			-	
14.4	500	350			-	
14.4	500	375			-	
14.4	600	425			-	-
14.5	250	125			-	-
14.5	275	150			-	-
14.5	300	175			-	-
14.5	325	200			●	16,200
14.5	350	225			□	-

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
14.5	375	250	2	●	20,700	
14.5	400			□	-	
14.5	400			-	-	
14.5	425			275	●	24,700
14.5	450			300	□	-
14.5	475			325	●	27,400
14.5	500			350	-	-
14.5	500			375	-	-
14.5	600			400	-	-
14.5	600			425	-	-
14.5	700	450	-	-		
14.5	700	500	-	-		
14.5	800	600	-	-		
14.5	1000	600	-	-		
* 14.6	300	200	1	-	-	
14.6	300	200	2	□	-	
14.6	350	225			-	
14.6	350	250			-	
14.6	400	275			-	
14.6	400	275			-	
14.6	500	350			-	
14.6	500	375	-	-		
14.6	600	425	-	-		
* 14.7	300	200	1	-	-	
14.7	300	200	2	□	-	
14.7	350	225			-	
14.7	350	250			-	
14.7	400	275			-	
14.7	400	275			-	
14.7	500	350	-	-		
14.7	500	375	-	-		
14.7	600	425	-	-		
* 14.8	300	200	1	-	-	
14.8	300	200	2	□	-	
14.8	350	225			-	
14.8	350	250			-	
14.8	400	275			-	
14.8	400	275			-	
14.8	500	350			-	
14.8	500	375			-	
14.8	600	425			-	-
* 14.9	300	200	1	-	-	
14.9	300	200	2	□	-	
14.9	350	225			-	
14.9	350	250			-	
14.9	400	275			-	
14.9	400	275			-	
14.9	500	350			-	
14.9	500	375			-	
14.9	600	425			-	-
15.0	250	125			-	-
15.0	275	150			-	-
15.0	300	175			-	-
15.0	325	200			●	16,700
15.0	350	225			□	-
15.0	375	250			●	20,900
15.0	400	275	□	-		
15.0	400	275	-	-		
15.0	425	300	●	24,700		
15.0	450	300	□	-		
15.0	475	325	●	27,400		
15.0	500	350	-	-		
15.0	500	375	-	-		
15.0	600	400	-	-		
15.0	600	425	-	-		
15.0	700	450	-	-		
15.0	700	450	-	-		
15.0	800	500	-	-		
15.0	800	600	-	-		

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル


ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引



工具材料

直径許容差

先端角

ねじれ角

直径範囲

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
15.0	1000	600			-
15.1	300	175			-
15.1	350	225			-
15.1	350				-
15.1	400	250			-
15.1	400	275			-
15.1	500	350			-
15.1	500	375			-
15.1	600	400			-
15.1	600	425			-
15.2	300	175			-
15.2	350	225			-
15.2	350				-
15.2	400	250			-
15.2	400	275			-
15.2	500	350			-
15.2	500	375			-
15.2	600	400			-
15.2	600	425			-
15.3	300	175			-
15.3	350	225			-
15.3	350				-
15.3	400	250			-
15.3	400	275			-
15.3	500	350			-
15.3	500	375			-
15.3	600	400			-
15.3	600	425			-
15.4	300	175			-
15.4	350	225			-
15.4	350				-
15.4	400	250			-
15.4	400	275			-
15.4	500	350			-
15.4	500	375			-
15.4	600	400			-
15.4	600	425			-
15.5	250	125			-
15.5	275	150			-
15.5	300	175			-
15.5	325	200			-
15.5	350	225			-
15.5	375				-
15.5	400	250			-
15.5	400				-
15.5	425	275			-
15.5	450	300			-
15.5	475	325			-
15.5	500	350			-
15.5	500	375			-
15.5	600	400			-
15.5	600	425			-
15.5	600	450			-
15.5	700	450			-
15.5	700				-
15.5	800	500			-
15.5	800	600			-
15.6	300	175			-
15.6	350	225			-
15.6	350				-
15.6	400	250			-
15.6	400	275			-
15.6	500	350			-
15.6	500	375			-
15.6	600	400			-
15.6	600	425			-
15.7	300	175			-
15.7	350	225			-
15.7	350				-
15.7	400	250			-
15.7	400	275			-

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
15.7	500	350			-
15.7	500	375			-
15.7	600	400			-
15.7	600	425			-
15.8	300	175			-
15.8	350	225			-
15.8	350				-
15.8	400	250			-
15.8	400	275			-
15.8	500	350			-
15.8	500	375			-
15.8	600	400			-
15.8	600	425			-
15.9	300	175			-
15.9	350	225			-
15.9	350				-
15.9	400	250			-
15.9	400	275			-
15.9	500	350			-
15.9	500	375			-
15.9	600	400			-
15.9	600	425			-
16.0	250	125			-
16.0	275	150			-
16.0	300	175			-
16.0	325	200			-
16.0	350	225			-
16.0	375				-
16.0	400	250			-
16.0	400				-
16.0	425	275			-
16.0	450	300			-
16.0	475	325			-
16.0	500	350			-
16.0	500	375			-
16.0	600	400			-
16.0	600	425			-
16.0	700	450			-
16.0	700				-
16.0	800	500			-
16.0	800				-
16.0	800	600			-
16.0	1000				-
16.0	1200	800			-
16.1	350	225			-
16.1	350				-
16.1	400	250			-
16.1	400	275			-
16.1	500	350			-
16.1	500	375			-
16.1	600	400			-
16.1	600	425			-
16.2	350	225			-
16.2	350				-
16.2	400	250			-
16.2	400	275			-
16.2	500	350			-
16.2	500	375			-
16.2	600	400			-
16.2	600	425			-
16.3	350	225			-
16.3	350				-
16.3	400	250			-
16.3	400	275			-
16.3	500	350			-
16.3	500	375			-
16.3	600	400			-
16.3	600	425			-
16.4	350	225			-
16.4	350				-
16.4	400	250			-

*特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
16.4	400	275	2		-
16.4	500	350			-
16.4	500	375			-
16.4	600	400			-
16.4	600	425		□	-
16.5	250	125			-
16.5	275	150			-
16.5	300	175			-
16.5	325	200		●	17,600
16.5	350	225		□	-
16.5	375	250		●	22,200
16.5	400			□	-
16.5	400	275		□	-
16.5	425			●	26,600
16.5	450	□		-	
16.5	475	325		●	29,200
16.5	500	350			-
16.5	500	375			-
16.5	600	400			-
16.5	600	425			-
16.5	700	450			-
16.5	700	500			-
16.5	800				-
16.5	800	600			-
16.6	350	225			-
16.6	350	250			-
16.6	400				-
16.6	400	275			-
16.6	500	350			-
16.6	500	375			-
16.6	600	400			-
16.6	600	425			-
16.7	350	225			-
16.7	350	250			-
16.7	400				-
16.7	400	275			-
16.7	500	350			-
16.7	500	375		□	-
16.7	600	400			-
16.7	600	425			-
16.8	350	225			-
16.8	350	250			-
16.8	400			-	
16.8	400	275		-	
16.8	500	350		-	
16.8	500	375		-	
16.8	600	400		-	
16.8	600	425		-	
16.9	350	225		-	
16.9	350	250		-	
16.9	400			-	
16.9	400	275		-	
16.9	500	350		-	
16.9	500	375		-	
16.9	600	400		-	
16.9	600	425		-	
17.0	250	125		-	
17.0	275	150		-	
17.0	300	175		-	
17.0	325	200	●	18,400	
17.0	350	225	□	-	
17.0	375	250	●	23,000	
17.0	400		□	-	
17.0	400	275	□	-	
17.0	425		●	27,400	
17.0	450	300	□	-	
17.0	475	325	●	30,200	
17.0	500	350		-	
17.0	500	375	□	-	
17.0	600	400		-	

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
17.0	600	425	2		-
17.0	700	450			-
17.0	700	500			-
17.0	800				-
17.0	800	600			-
17.0	1000				-
17.1	400	250			-
17.1	400	275			-
17.1	500	350			-
17.1	500	375			-
17.2	400	250			-
17.2	400	275			-
17.2	500	350		□	-
17.2	500	375			-
17.3	400	250			-
17.3	400	275			-
17.3	500	350			-
17.3	500	375			-
17.4	400	250			-
17.4	400	275			-
17.4	500	350			-
17.4	500	375			-
17.5	250	125			-
17.5	275	150			-
17.5	300	175			-
17.5	325	200		●	19,100
17.5	350	225		□	-
17.5	375	250		●	23,800
17.5	400			□	-
17.5	400	275		□	-
17.5	425			●	28,300
17.5	450	300		□	-
17.5	475	325		●	31,500
17.5	500	350			-
17.5	500	375			-
17.5	600	400			-
17.5	600	425			-
17.5	700	450			-
17.5	700	500			-
17.5	800				-
17.5	800	600			-
17.6	400	250			-
17.6	400	275		-	
17.6	500	350		-	
17.6	500	375		-	
17.7	400	250		-	
17.7	400	275	□	-	
17.7	500	350		-	
17.7	500	375		-	
17.8	400	250		-	
17.8	400	275		-	
17.8	500	350		-	
17.8	500	375		-	
17.9	400	250		-	
17.9	400	275		-	
17.9	500	350		-	
17.9	500	375		-	
18.0	275	150		-	
18.0	300	175		-	
18.0	300	200		-	
18.0	325	200	●	20,200	
18.0	350	225	□	-	
18.0	375	250	●	25,100	
18.0	400		□	-	
18.0	400	275	□	-	
18.0	425		●	30,100	
18.0	450	300	□	-	
18.0	475	325	●	33,300	
18.0	500	350	□	-	
18.0	500	375		-	

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

← 前頁 Previous Page

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
18.0	600	400			-	19.0	475	325		●	34,900
18.0	600	425			-	19.0	500	350			-
18.0	700	450			-	19.0	500	375			-
18.0	700				-	19.0	600	400			-
18.0	800	500			-	19.0	600	425			-
18.0	800				-	19.0	700	450			-
18.0	1000	600			-	19.0	700				-
※ 18.0	1200	800			-	19.0	800	500			-
18.1	400	250			-	19.0	800				-
18.1	400	275			-	19.0	1000	600			-
18.1	500	350			-	19.1	400	250			-
18.1	500	375			-	19.1	400	275			-
18.2	400	250			-	19.1	500	350			-
18.2	400	275		□	-	19.1	500	375			-
18.2	500	350			-	19.2	400	250		□	-
18.2	500	375			-	19.2	400	275			-
18.3	400	250			-	19.2	500	350			-
18.3	400	275			-	19.2	500	375			-
18.3	500	350			-	19.3	400	250			-
18.3	500	375			-	19.3	400	275			-
18.4	400	250			-	19.3	500	350			-
18.4	400	275			-	19.3	500	375			-
18.4	500	350			-	19.4	400	250			-
18.4	500	375			-	19.4	400	275			-
18.5	275	150			-	19.4	500	350			-
18.5	300	175			-	19.4	500	375			-
18.5	300				-	19.5	275	150			-
18.5	325	200		●	21,300	19.5	300	175			-
18.5	350	225		□	-	19.5	300				-
18.5	375	250		●	26,600	19.5	325	200		●	22,200
18.5	400			□	-	19.5	350	225		□	-
18.5	400	275			-	19.5	375			●	27,700
18.5	425			●	31,500	19.5	400	250		□	-
18.5	450	300		□	-	19.5	400				-
18.5	475	325		●	34,600	19.5	425	275		●	32,500
18.5	500	350	2		-	19.5	450	300	2	□	-
18.5	500	375			-	19.5	475	325		●	36,000
18.5	600	400			-	19.5	500	350			-
18.5	600	425			-	19.5	500	375			-
18.5	700	450			-	19.5	600	400			-
18.5	700				-	19.5	600	425			-
18.5	800	500			-	19.5	700	450			-
18.5	800				-	19.5	700				-
18.5	1000	600			-	19.5	800	500			-
18.6	400	250			-	19.5	800	600			-
18.6	400	275			-	19.6	400	250			-
18.6	500	350			-	19.6	400	275			-
18.6	500	375			-	19.6	500	350			-
18.7	400	250		□	-	19.6	500	375			-
18.7	400	275			-	19.7	400	250			-
18.7	500	350			-	19.7	400	275		□	-
18.7	500	375			-	19.7	500	350			-
18.8	400	250			-	19.7	500	375			-
18.8	400	275			-	19.8	400	250			-
18.8	500	350			-	19.8	400	275			-
18.8	500	375			-	19.8	500	350			-
18.9	400	250			-	19.8	500	375			-
18.9	400	275			-	19.9	400	250			-
18.9	500	350			-	19.9	400	275			-
18.9	500	375			-	19.9	500	350			-
19.0	275	150			-	19.9	500	375			-
19.0	300	175			-	20.0	275	150			-
19.0	300				-	20.0	300	175			-
19.0	325	200		●	21,500	20.0	300				-
19.0	350	225		□	-	20.0	325	200		●	22,200
19.0	375	250		●	26,600	20.0	350	225		□	-
19.0	400			□	-	20.0	375			●	27,700
19.0	400	275			-	20.0	400	250		□	-
19.0	425			●	31,500	20.0	400				-
19.0	450	300		□	-	20.0	400	275		●	32,700

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)		
20.0	450	300		□	-		
20.0	475	325		●	36,000		
20.0	500	350		-	-		
20.0	500	375		-	-		
20.0	600	400		-	-		
20.0	600	425		-	-		
20.0	700	450		-	-		
20.0	700	500		-	-		
20.0	800			-	-		
20.0	800	600		-	-		
20.0	1000			-	-		
20.0	1200	800		-	-		
20.0	1500	1000		-	-		
20.1	400	250		2	□	-	
20.1	400	275				-	-
20.1	500	350				-	-
20.1	500	375				-	-
20.2	400	250				-	-
20.2	400	275				-	-
20.2	500	350				-	-
20.2	500	375	-			-	
20.3	400	250	-			-	
20.3	400	275	-			-	
20.3	500	350	-		-		
20.3	500	375	-		-		
20.4	400	250	-		-		
20.4	400	275	-		-		
20.4	500	350	-		-		
20.4	500	375	-		-		
20.5	275	150	-		-		
20.5	300	175	-		-		
20.5	325	200	●		23,400		
20.5	350	225	□		-		
20.5	375	250	●	29,100			
20.5	400		□	-			
20.5	400	275	-	-			
20.5	425		●	34,000			
20.5	450	300	□	-			
20.5	475	325	●	38,000			
20.5	500	350	-	-			
20.5	500	375	-	-			
20.5	600	400	-	-			
20.5	600	425	-	-			
20.5	700	450	-	-			
20.5	700	500	-	-			
20.5	800		-	-			
20.5	800	600	-	-			
20.6	400	250	-	-			
20.6	400	275	-	-			
20.6	500	350	-	-			
20.6	500	375	-	-			
20.7	400	250	2	□	-		
20.7	400	275			-	-	
20.7	500	350			-	-	
20.7	500	375			-	-	
20.8	400	250			-	-	
20.8	400	275			-	-	
20.8	500	350			-	-	
20.8	500	375			-	-	
20.9	400	250			-	-	
20.9	400	275			-	-	
20.9	500	350		-	-		
20.9	500	375		-	-		
21.0	275	150		-	-		
21.0	300	175		-	-		
21.0	325	200		●	23,400		
21.0	350			□	-		
21.0	350	225		-	-		
21.0	375	250		●	29,200		
21.0	400			□	-		

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)		
21.0	400	275		□	-		
21.0	425			●	34,500		
21.0	450	300		□	-		
21.0	475	325		●	38,500		
21.0	500	350		-	-		
21.0	500	375		-	-		
21.0	600	400		-	-		
21.0	600	425		-	-		
21.0	700	450		-	-		
21.0	700	500		-	-		
21.0	800			-	-		
21.0	800	600		-	-		
21.0	1000			-	-		
21.1	400	250		2	□	-	
21.1	400	275				-	-
21.2	400	250				-	-
21.2	400	275				-	-
21.3	400	250				-	-
21.3	400	275				-	-
21.4	400	250				-	-
21.4	400	275	-			-	
21.5	275	150	-			-	
21.5	300	175	-			-	
21.5	325	200	●		24,400		
21.5	350	225	□		-		
21.5	375	250	●		30,400		
21.5	400		□		-		
21.5	400	275	-		-		
21.5	425		●		35,800		
21.5	450	300	□		-		
21.5	475	325	●		40,100		
21.5	500	350	-		-		
21.5	500	375	-		-		
21.5	600	400	-	-			
21.5	600	425	-	-			
21.5	700	450	-	-			
21.5	700	500	-	-			
21.5	800		-	-			
21.5	800	600	-	-			
21.6	400	250	2	□	-		
21.6	400	275			-	-	
21.7	400	250			-	-	
21.7	400	275			-	-	
21.8	400	250			-	-	
21.8	400	275			-	-	
21.9	400	250			-	-	
21.9	400	275			-	-	
22.0	275	150			-	-	
22.0	300	175			-	-	
22.0	325	200		●	24,800		
22.0	350	225		□	-		
22.0	375	250		●	30,600		
22.0	400			□	-		
22.0	400	275		-	-		
22.0	425			●	36,000		
22.0	450	300		□	-		
22.0	475	325		●	40,900		
22.0	500	350		-	-		
22.0	500	375		-	-		
22.0	600	400	-	-			
22.0	600	425	-	-			
22.0	700	450	-	-			
22.0	700	500	-	-			
22.0	800		-	-			
22.0	800	600	-	-			
22.0	1000		-	-			
22.1	400	250	2	□	-		
22.1	400	275			-	-	
22.2	400	250			-	-	
22.2	400	275			-	-	

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品

その他

精密工具

技術資料

索引

※特定代理店在庫限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
22.3	400	250	2		-
22.3	400	275			-
22.4	400	250		□	-
22.4	400	275			-
22.5	275	150			-
22.5	300	175			-
22.5	325	200		●	26,000
22.5	350	225		□	-
22.5	375	250		●	32,400
22.5	400			□	-
22.5	400	275			-
22.5	425			●	38,000
22.5	450	300		□	-
22.5	475	325		●	42,400
22.5	500	350			-
22.5	500	375			-
22.5	600	400			-
22.5	600	425			-
22.5	700	450			-
22.5	700	500			-
22.5	800				-
22.5	800	600			-
22.6	400	250		□	-
22.6	400	275		-	
22.7	400	250		-	
22.7	400	275		-	
22.8	400	250		-	
22.8	400	275		-	
22.9	400	250		-	
22.9	400	275		-	
23.0	275	150		-	
23.0	300	175		-	
23.0	325	200	●	26,600	
23.0	350	225	□	-	
23.0	375	250	●	32,700	
23.0	400		□	-	
23.0	400	275		-	
23.0	425		●	38,700	
23.0	450	300	□	-	
23.0	475	325	●	43,100	
23.0	500	350		-	
23.0	500	375		-	
23.0	600	400		-	
23.0	600	425		-	
23.0	700	450		-	
23.0	700	500		-	
23.0	800			-	
23.0	800	600		-	
23.0	1000		□	-	
23.1	400	250		-	
23.1	400	275		-	
23.2	400	250		-	
23.2	400	275		-	
23.3	400	250		-	
23.3	400	275		-	
23.3	400	275		-	
23.4	400	250		-	
23.4	400	275		-	
23.5	325	175		-	
23.5	350	200	●	32,400	
23.5	350		□	-	
23.5	375	225		-	
23.5	400	250	●	37,700	
23.5	400	275	□	-	
23.5	425			-	
23.5	450	300	●	43,800	
23.5	450	325	□	-	
23.5	475			-	
23.5	500	350	●	53,800	
23.5	500	375		-	
23.5	550	350	□	-	

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
23.5	600	400	3	●	65,800
23.5	600	425			-
23.5	700	450			-
23.5	700				-
23.5	800	500			-
23.5	800	600			-
23.6	400	250			-
23.6	400	275		□	-
23.7	400	250			-
23.7	400	275			-
23.8	400	250			-
23.8	400	275			-
23.9	400	250			-
23.9	400	275			-
24.0	325	175			-
24.0	350	200		●	33,300
24.0	350			□	-
24.0	375	225			-
24.0	400	250		●	38,000
24.0	400	275		□	-
24.0	425				-
24.0	450	300		●	44,400
24.0	450			□	-
24.0	475	325		-	
24.0	500	350	●	54,400	
24.0	500	375	□	-	
24.0	550	350		-	
24.0	600	400	●	66,900	
24.0	600	425		-	
24.0	700	450		-	
24.0	700	500		-	
24.0	800			-	
24.0	800	600		-	
24.0	1000			-	
24.1	400	250	□	-	
24.1	400	275		-	
24.2	400	250		-	
24.2	400	275		-	
24.3	400	250		-	
24.3	400	275		-	
24.4	400	250		-	
24.4	400	275		-	
24.5	325	175		-	
24.5	350	200	●	34,100	
24.5	350		□	-	
24.5	375	225		-	
24.5	400	250	●	39,000	
24.5	400	275	□	-	
24.5	425			-	
24.5	450	300	●	45,400	
24.5	450		□	-	
24.5	475	325		-	
24.5	500	350	●	55,300	
24.5	500	375		-	
24.5	550	350	□	-	
24.5	600	400	●	67,900	
24.5	600	425		-	
24.5	700	450		-	
24.5	700	500		-	
24.5	800			-	
24.5	800	600		-	
24.6	400	250	□	-	
24.6	400	275		-	
24.7	400	250		-	
24.7	400	275		-	
24.8	400	250		-	
24.8	400	275		-	
24.9	400	250		-	
24.9	400	275		-	
25.0	325	175		-	

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
25.0	350	200	3	●	34,900
25.0	350	225		□	-
25.0	375			-	
25.0	400	250		●	40,000
25.0	400	275		□	-
25.0	425			-	
25.0	450	300		●	46,400
25.0	450	325		□	-
25.0	475			-	
25.0	500	350		●	56,300
25.0	500	375		□	-
25.0	550	350		-	-
25.0	600	400		●	69,000
25.0	600	425		-	-
25.0	700	450		-	-
25.0	700	500		-	-
25.0	800			-	
25.0	800	600		-	-
25.0	1000			-	
25.0	1200	800		-	-
25.0	1500	1000		□	-
25.1	400	250		-	-
25.1	400	275		-	-
25.2	400	250		-	-
25.2	400	275		-	-
25.3	400	250		-	-
25.3	400	275		-	-
25.4	400	250		-	-
25.4	400	275		-	-
25.5	325	175		-	-
25.5	350	200		●	35,800
25.5	350	225		□	-
25.5	375			-	
25.5	400	250		●	40,900
25.5	400	275		□	-
25.5	425	300		-	-
25.5	450	300		●	46,800
25.5	450	325		□	-
25.5	475			-	
25.5	500	350		●	57,600
25.5	500	375		□	-
25.5	550	350		-	-
25.5	600	400	●	70,600	
25.5	600	425	-	-	
25.5	700	450	-	-	
25.5	700	500	-	-	
25.5	800		-		
25.5	800	600	-	-	
25.6	400	250	-	-	
25.6	400	275	-	-	
25.7	400	250	□	-	
25.7	400	275	-	-	
25.8	400	250	-	-	
25.8	400	275	-	-	
25.9	400	250	-	-	
25.9	400	275	-	-	
26.0	325	175	-	-	
26.0	350	200	●	36,000	
26.0	350	225	□	-	
26.0	375		-		
26.0	400	250	●	41,600	
26.0	400	275	□	-	
26.0	425		-		
26.0	450	300	●	48,400	
26.0	450	325	□	-	
26.0	475		-		
26.0	500	350	●	58,900	
26.0	500	375	□	-	
26.0	550	350	-	-	
26.0	600	400	●	72,300	

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
26.0	600	425	3	-	-
26.0	700	450		-	-
26.0	700	500		-	-
26.0	800			-	
26.0	800	600		-	-
26.0	1000			-	
26.1	400	250		-	-
26.1	400	275		□	-
26.2	400	250		-	-
26.2	400	275		-	-
26.3	400	250		-	-
26.3	400	275		-	-
26.4	400	250		-	-
26.4	400	275		-	-
26.5	325	175		-	-
26.5	350	200		●	37,700
26.5	350	225		□	-
26.5	375			-	
26.5	400	250		●	42,700
26.5	400	275		□	-
26.5	425			-	
26.5	450	300		●	49,400
26.5	450	325		□	-
26.5	475			-	
26.5	500	350		●	59,800
26.5	500	375		□	-
26.5	550	350		-	-
26.5	600	400		●	73,400
26.5	600	425		-	-
26.5	800	500		-	-
26.5	800	600		-	-
26.6	400	250		-	-
26.6	400	275		-	-
26.7	400	250		□	-
26.7	400	275		-	-
26.8	400	250		-	-
26.8	400	275		-	-
26.9	400	250		-	-
26.9	400	275		-	-
27.0	325	175		-	-
27.0	350	200		●	38,000
27.0	350	225		□	-
27.0	375		-		
27.0	400	250	●	43,800	
27.0	400	275	□	-	
27.0	425		-		
27.0	450	300	●	52,100	
27.0	450	325	□	-	
27.0	475		-		
27.0	500	350	●	61,300	
27.0	500	375	□	-	
27.0	550	350	-	-	
27.0	600	400	●	75,300	
27.0	600	425	-	-	
27.0	700	450	-	-	
27.0	700	500	-	-	
27.0	800		-		
27.0	800	600	-	-	
27.0	1000	500	-	-	
27.0	1000	600	-	-	
27.1	400	250	□	-	
27.1	400	275	-	-	
27.2	400	250	-	-	
27.2	400	275	-	-	
27.3	400	250	-	-	
27.3	400	275	-	-	
27.4	400	250	-	-	
27.4	400	275	-	-	
27.5	325	175	-	-	
27.5	350	200	●	39,100	

※※

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

※特定代理店在庫限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
27.5	350				-	28.7	400	275			-
27.5	375	225		□	-	28.8	400	250			-
27.5	400	250		●	45,000	28.8	400	275			-
27.5	400	275		□	-	28.9	400	250		□	-
27.5	425			□	-	28.9	400	275			-
27.5	450	300		●	52,100	29.0	325	175			-
27.5	450	325		□	-	29.0	350	200		●	41,700
27.5	475			□	-	29.0	350	225		□	-
27.5	500	350		●	63,000	29.0	375				-
27.5	500	375		□	-	29.0	400	250		●	48,100
27.5	550	350		□	-	29.0	400	275		□	-
27.5	600	400		●	76,900	29.0	425				-
27.5	600	425			-	29.0	450	300		●	55,700
27.5	800	500			-	29.0	450	325		□	-
27.5	800	600			-	29.0	475				-
27.6	400	250			-	29.0	500	350		●	67,400
27.6	400	275			-	29.0	500	375		□	-
27.7	400	250			-	29.0	550	350			-
27.7	400	275		□	-	29.0	600	400		●	81,800
27.8	400	250			-	29.0	600	425			-
27.8	400	275			-	29.0	700	450			-
27.9	400	250			-	29.0	700				-
27.9	400	275			-	29.0	800	500			-
28.0	325	175			-	29.0	800	600			-
28.0	350	200		●	40,100	29.0	1000	500			-
28.0	350			□	-	29.0	1000	600			-
28.0	375	225			-	29.1	400	250			-
28.0	400	250		●	45,900	29.1	400	275		□	-
28.0	400	275		□	-	29.2	400	250			-
28.0	425				-	29.2	400	275			-
28.0	450	300		●	53,500	29.3	400	250			-
28.0	450	325		□	-	29.3	400	275			-
28.0	475				-	29.4	400	250			-
28.0	500	350		●	64,400	29.4	400	275			-
28.0	500	375		□	-	29.5	325	175			-
28.0	550	350	3		-	29.5	350	200	3	●	43,100
28.0	600	400		●	78,500	29.5	350	225		□	-
28.0	600	425			-	29.5	375				-
28.0	700	450			-	29.5	400	250		●	48,800
28.0	700				-	29.5	400	275		□	-
28.0	800	500			-	29.5	425	275			-
28.0	800				-	29.5	450	300		●	57,000
28.0	1000	600			-	29.5	450	325		□	-
28.1	400	250			-	29.5	475				-
28.1	400	275		□	-	29.5	500	350		●	68,700
28.2	400	250			-	29.5	500	375			-
28.2	400	275			-	29.5	550	350		□	-
28.3	400	250			-	29.5	600	400		●	84,100
28.3	400	275			-	29.5	600	425			-
28.4	400	250			-	29.5	800	500			-
28.4	400	275			-	29.5	800	600			-
28.5	325	175			-	29.6	400	250			-
28.5	350	200		●	41,300	29.6	400	275			-
28.5	375	225		□	-	29.7	400	250			-
28.5	400	250		●	47,000	29.7	400	275		□	-
28.5	400	275		□	-	29.8	400	250			-
28.5	425				-	29.8	400	275			-
28.5	450	300		●	54,700	29.9	400	250			-
28.5	450	325		□	-	29.9	400	275			-
28.5	475				-	30.0	325	175			-
28.5	500	350		●	65,800	30.0	350	200		●	43,600
28.5	500	375		□	-	30.0	375	225		□	-
28.5	550	350			-	30.0	400	250		●	49,400
28.5	600	400		●	80,500	30.0	400	275		□	-
28.5	600	425			-	30.0	425				-
28.5	800	500			-	30.0	450	300		●	58,500
28.5	800	600			-	30.0	450	325		□	-
28.6	400	250		□	-	30.0	475				-
28.6	400	275			-	30.0	500	350		●	70,200
28.7	400	250			-						

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
30.0	500	375	3		-
30.0	550	350		□	-
30.0	600	400		●	85,800
30.0	600	425			-
30.0	700	450			-
30.0	700	500			-
30.0	800				-
30.0	800	600			-
30.0	1000				-
30.0	1200	1000		□	-
30.0	1500				-
30.1	400	275			-
30.2	400				-
30.3	400				-
30.4	400				-
30.5	350	200		●	44,500
30.5	350				-
30.5	375	225		□	-
30.5	400				-
30.5	400	250		●	51,100
30.5	400	275		□	-
30.5	425				-
30.5	450	300		●	59,800
30.5	450	325		□	-
30.5	475				-
30.5	500	350		●	72,300
30.5	500	375		□	-
30.5	550				-
30.5	550	350		●	88,000
30.5	600	400			-
30.5	600	425			-
30.6	400	275		□	-
30.7	400				-
30.8	400				-
30.9	400				-
31.0	350	200		●	45,400
31.0	350	225		□	-
31.0	375				-
31.0	400	250		●	52,100
31.0	400	275		□	-
31.0	425			-	
31.0	450	300	●	62,000	
31.0	450	325	□	-	
31.0	475			-	
31.0	500	350	●	73,700	
31.0	500	375	□	-	
31.0	550			-	
31.0	600	400	●	89,800	
31.0	600	425		-	
31.0	700			-	
31.0	700	450		-	
31.0	800	500	□	-	
31.0	800	600		-	
31.0	1000			-	
31.5	350	200	●	46,200	
31.5	375	225	□	-	
31.5	400			-	
31.5	400	250	●	53,400	
31.5	400	275	□	-	
31.5	425			-	
31.5	450	300	●	64,100	
31.5	450	325	□	-	
31.5	475			-	
31.5	500	350	●	77,600	
31.5	500	375	□	-	
31.5	550			-	
31.5	600	400	●	92,400	
31.5	600	425	□	-	
32.0	350	200	●	48,000	
32.0	350	225	□	-	
32.0	375			-	
32.0	400	250	●	55,200	
32.0	400	275	□	-	

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
32.0	425	275	3	□	-	
32.0	450	300		●	66,200	
32.0	450	325		□	-	
32.0	475				-	
32.0	500	350		●	79,200	
32.0	500	375		□	-	
32.0	550				-	
32.0	600	400		●	96,000	
32.0	600	425			-	
32.0	700	450			-	
32.0	700	500			-	
32.0	800				-	
32.0	800	550			-	
32.0	800	600		□	-	
32.0	1000	600			-	
32.5	400	250		4		-
32.5	500	300				-
32.5	600	400				-
33.0	400	250				-
33.0	400	275				-
33.0	425	250				-
33.0	475	300			●	83,500
33.0	500					97,400
33.0	500	350			□	-
33.0	525					-
33.0	600	400			●	109,000
33.0	600	450			□	-
33.0	625					-
33.0	700	400			●	137,000
33.0	700	500				-
33.0	800	550			-	
33.0	1000	600	□		-	
33.5	400	250			-	
33.5	500	300			-	
33.5	600	400			-	
34.0	400	250			-	
34.0	425	300	●		86,700	
34.0	475				102,000	
34.0	500	350	□		-	
34.0	525				-	
34.0	600	400	●		115,000	
34.0	600	450	□		-	
34.0	625				-	
34.0	700	500	●		142,000	
34.0	800	550			-	
34.0	1000	600		-		
34.5	400	250	□	-		
34.5	500	300		-		
34.5	600	400		-		
34.5	625	450		-		
35.0	400	250		-		
35.0	425	300	●	89,700		
35.0	475			106,000		
35.0	500	350	□	-		
35.0	525			-		
35.0	600	400	●	118,000		
35.0	625	450	□	-		
35.0	700			-		
35.0	800	500	●	147,000		
35.0	800	550		-		
35.0	800			-		
35.0	1000	600		-		
35.0	1000	700		-		
35.0	1200	800	□	-		
35.0	1500	1000		-		
35.5	400	250		-		
35.5	500	300		-		
35.5	600	400		-		
36.0	400	250		-		
36.0	425			-		
36.0	475	300	●	93,300		
36.0	500			112,000		
36.0	500	350	□	-		
36.0	525			-		

※※

※※

新商品
超硬ドリル
ハイスドリル
タップ
超硬エンドミル
ハイスエンドミル
切断工具
バック・セット商品
その他
精密工具
技術資料
索引

※特定代理店在庫限りです。
This product is for sale while stock lasts.



工具材料 直径許容差 先端角 ねじれ角 直径範囲

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
36.0	600	400	4	□	-
36.0	625	450		●	152,000
36.0	700	500		-	-
36.0	800	550		-	-
36.0	800	600		□	-
36.0	1000			-	-
36.5	500	300		-	-
36.5	600	400		-	-
37.0	425	250		●	95,700
37.0	475	300		●	118,000
37.0	500	350		□	-
37.0	525			●	129,000
37.0	600	400		□	-
37.0	625	450		●	162,000
37.0	700	500		-	-
37.0	800	550		-	-
37.0	1000	600		□	-
37.5	500	300		-	-
37.5	600	400		-	-
37.5	700	500		-	-
38.0	425	250		●	98,600
38.0	475	300		●	121,000
38.0	500			□	-
38.0	525	350		●	134,000
38.0	600	400		□	-
38.0	625	450		●	167,000
38.0	700	500		-	-
38.0	800	550		-	-
38.0	800	600		□	-
38.0	1000			-	-
38.5	500	300		-	-
38.5	600	400		-	-
38.5	700	500		-	-
39.0	425	250		●	103,000
39.0	475	300		●	126,000
39.0	500	350		□	-
39.0	525			●	139,000
39.0	600	400		□	-
39.0	625	450		●	173,000
39.0	700	500		-	-
39.0	800	550	-	-	
39.0	1000	600	□	-	
39.5	500	300	-	-	
39.5	600	400	-	-	
39.5	700	500	-	-	
40.0	425	250	●	106,000	
40.0	475	300	●	132,000	
40.0	500		□	-	
40.0	525	350	●	146,000	
40.0	600	400	□	-	
40.0	625	450	●	180,000	
40.0	700	500	-	-	
40.0	800	550	-	-	
40.0	800	600	□	-	
40.0	1000		-	-	
40.0	1000	700	-	-	
40.0	1200	800	-	-	
40.0	1500	1000	-	-	
40.5	500	300	-	-	
40.5	500	350	-	-	
40.5	600	400	-	-	
41.0	425	250	●	110,000	
41.0	475	300	●	138,000	
41.0	500		□	-	
41.0	525	350	●	150,000	
41.0	600	400	□	-	
41.0	625	450	●	189,000	
41.0	700	500	-	-	
41.0	800	550	□	-	
41.0	1000	600	-	-	

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
41.5	500	300	4	□	-
41.5	600	400		-	-
42.0	425	250		●	114,000
42.0	475	300		●	142,000
42.0	500			□	-
42.0	525	350		●	154,000
42.0	600	400		□	-
42.0	625	450		●	198,000
42.0	700	500		-	-
42.0	800	550		-	-
42.0	800	600		□	-
42.0	1000			-	-
42.5	500	300		-	-
42.5	600	400		-	-
43.0	425	250		●	117,000
43.0	475	300		●	148,000
43.0	500			□	-
43.0	525	350		●	162,000
43.0	600	400		□	-
43.0	625	450		●	206,000
43.0	700	500		-	-
43.0	800	550		-	-
43.0	1000	600		□	-
43.5	500	300		-	-
43.5	600	400		-	-
43.5	700	500		-	-
44.0	425	250		●	121,000
44.0	475	300		●	152,000
44.0	500			□	-
44.0	525	350		●	165,000
44.0	600	400		□	-
44.0	625	450		●	219,000
44.0	700	500		-	-
44.0	800	550		-	-
44.0	1000	600		□	-
44.5	500	300		-	-
44.5	600	400		-	-
45.0	425	250		●	125,000
45.0	475	300		●	158,000
45.0	500			□	-
45.0	525	350	●	173,000	
45.0	600	400	□	-	
45.0	625	450	●	222,000	
45.0	700	500	-	-	
45.0	800	550	-	-	
45.0	800	600	□	-	
45.0	1000		-	-	
45.0	1000	700	-	-	
45.5	500	300	-	-	
45.5	600	400	-	-	
46.0	475	300	●	163,000	
46.0	500	350	□	-	
46.0	525		●	178,000	
46.0	600	400	□	-	
46.0	625	450	●	233,000	
46.0	700	500	-	-	
46.0	800	550	-	-	
46.0	800	600	□	-	
46.0	1000		-	-	
46.5	500	300	-	-	
46.5	600	400	-	-	
47.0	475	300	●	168,000	
47.0	500	350	□	-	
47.0	525		●	184,000	
47.0	600	400	□	-	
47.0	625	450	●	238,000	
47.0	700	500	-	-	
47.0	800	550	-	-	
47.0	1000	600	□	-	
47.5	500	300	-	-	
47.5	600	400	-	-	

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
48.0	475	300	4	●	174,000
48.0	500			□	-
48.0	525			●	191,000
48.0	600			□	-
48.0	625			●	248,000
48.0	700				-
48.0	800				-
48.0	800				-
48.0	1000			□	-
48.5	500				-
48.5	600		-		
49.0	475	300	4	●	180,000
49.0	500			□	-
49.0	525			●	194,000
49.0	600			□	-
49.0	625			●	256,000
49.0	700				-
49.0	800				-
49.0	800				-
49.0	1000			□	-
49.5	500				-
49.5	600		-		
50.0	475	300	4	●	185,000
50.0	500			□	-
50.0	525			●	202,000
50.0	600			□	-
50.0	625			●	264,000
50.0	700				-
50.0	800				-
50.0	800				-
50.0	1000				-
50.0	1000				-
50.5	500		-		
51.0	500	300	4		-
51.0	600				-
51.0	800				-
51.0	1000				-
51.5	500				-
52.0	500				-
52.0	600				-
52.0	800				-
52.0	1000				-
52.5	500				-
53.0	500	300	4		-
53.0	600				-
53.0	800				-
53.0	1000				-
53.5	500				-
54.0	500				-
54.0	600				-
54.0	800				-
54.0	1000				-
54.5	500				-
55.0	500		-		
55.0	600		-		
55.0	700		-		
55.0	700		-		
55.0	800		-		
55.0	1000		-		
55.5	500		-		
56.0	500	300	4		-
56.0	600				-
56.0	800				-
56.0	1000				-
56.5	500				-
57.0	500				-
57.0	600				-
57.0	800				-
57.0	1000				-
57.5	500				-
58.0	500		-		

直径 Dc	全長 L	溝長 ℓ	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
58.0	600	400	5		-
58.0	800	550			-
58.0	1000	650			-
58.5	500				-
59.0	500	300			-
59.0	600	400			-
59.0	800	550			-
59.0	1000	650			-
59.5	500	300			-
60.0	500				-
60.0	600	400		-	
60.0	800	550		-	
60.0	1000	650		-	
61.0	600	400		-	
61.0	800	550		-	
62.0	600	400		-	
62.0	800	550		-	
63.0	600	400		-	
63.0	800	550		-	
64.0	600	400		-	
64.0	800	550		-	
65.0	600	400		-	
65.0	800	550		-	
66.0	600	400		-	
66.0	800	550		-	
67.0	600	400		-	
67.0	800	550		-	
68.0	600	400		-	
68.0	800	550		-	
69.0	600	400		-	
69.0	800	550		-	
70.0	600	400		-	
70.0	800	550		-	
71.0	600	400		-	
71.0	800	550		-	
72.0	600	400		-	
72.0	800	550		-	
73.0	600			-	
74.0	600	400		-	
75.0	600			-	
75.0	800	550		-	
76.0	600	400		-	
76.0	800	550		-	
77.0	600	400		-	
78.0	600			-	
78.0	800	550	6	-	
79.0	600	400	5	-	
80.0	600		6	-	
80.0	800	550		-	
85.0	800			-	

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	ダイス鋼 プレハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30~40 HRC	40~50 HRC	50~65HRC
○	○	○	—	×	×
ステンレス鋼		Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
—	—	—	○	○	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used -:推奨しません Not recommended